
# Fact sheet **ECO-Skate** IC60D



Container Load moving system, steerable, 4-load points





### **Specification:**

Container transport skates for the professional indoor transport of ISO containers on clean, smooth and level floors, inc. alignment bars, flat plate with ISO container cone or container twist lock system (TLS) and high-quality HTS 3-component polyurethane wheels, which are abrasion-resistant, cutresistant and non-marking and suitable for all smooth and level floors with slight unevenness. In combination with an ISOCON load moving system (DUO, S, ROTO) with the same installation height, these skates form a safe system with 4 load points for ISO containers. Please note the steering angle of max. 45°. When fully utilized steering angle of the skate system, no additional steering angle of the system must be made (see operating instructions).

#### Technical data of load moving system:



10 060 00 35



Ø 0 mm



 $11,3 \times 78 = 879 \text{ mm}^2$ ▼ 8,4 MPa



PU, ST, 93 Shore A



LxBxH 717 x 2540 x 102 / 162



70,3 cm<sup>2</sup>



2 x 3000 daN

2 x 4



D = 1170 mm $V_0 = 2259$ 



60 kg



300 daN\*



180 daN\*  $\bigcirc$ 

# Equipped with the following wheel:



11 085 00 14



 $11,3 \times 78 = 879 \text{ mm}^2$ ▼ 8,4 MPa



PU, ST, 93 Shore A



750 daN



Ø85x87 - Ø25 mm



 $V_{max} = 2 \text{ km/h}$ 



## Please always observe the operating instructions, their safety instructions and local conditions!

Load Area in mm



Wheel material layer, core: AL Aluminium, NY Nylon PU Polyurethane, ST Steel



Dimensions of wheel, inside ball bearing diameter mm

Number of wheels



Ø

Dimensions in mm L x B x H



Area mm<sup>2</sup> of the roller surface pressure ▼ N / mm²



required force to move the load at a steady speed of 2 km/h under ideal conditions

Carrying Capacity of load moving skate in daN at 2km/h max.



Weight kg



Steering bar length D for L, adjustability V for S and DUO skate systems



Starting resistance\* in daN, required force to start moving, under ideal conditions

\* Varies depending on the tolerances of the floor and ambient situation. All information without guarantee.